

EAST SEARCH

7/14/05

L#	Hits	Search String	Databases
S1	5270	((digital or data) near2 communication) with (equalization or modulation or "symbol interference")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S2	3461	S1 and (constellation\$1 or channel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S3	116	S2 and (channel\$1 near2 gain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S4	16	S2 and (reliable near2 symbol\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S5	484	S2 and (constellation\$1 near2 (size or point\$1 or square or general or order or axis or estimate\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S6	22	S3 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S7	578	S3 or S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S8	3	S7 and (sample\$1 with reliability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S9	2	S2 and (reliable near2 sample\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S10	3	S7 and (reliability with (threshold or limit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S11	8	S2 and (sample\$1 with reliability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S12	19	S2 and (reliability with (threshold or limit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S13	34	S2 and (sample\$1 with (constellation\$1 near2 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S14	4	S7 and (sample\$1 with (priorit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S16	19	S2 and (constellation\$1 with reliability)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S17	103	S2 and (distance with (constellation\$1 near2 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S18	103	S7 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S19	6	S3 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S21	0	S2 and ((constellation\$1 near2 ring) with width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S22	7	S2 and (constellation\$1 with width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S23	88	S2 and (sample\$1 with window\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S24	122	S2 and ((reliable near2 symbol\$1) or ((channel\$1 near2 gain) and (constellation\$1 near2 (size c	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S25	183	S18 or S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S26	39	S24 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S27	122	S24 or S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S28	29	6,581,179.pn. or "6,556,634".pn. or "6,570,910".pn. or "6,438,174".pn. or "6,757,299".pn. or "6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S29	1	S27 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S15	6	S2 and (sample\$1 with (priorit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S30	10	S23 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S20	1	S2 and (constellation\$1 near2 governing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S31	5279	((digital or data) near2 communication) with (equalization or modulation or "symbol interference"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S32	3470	S31 and (constellation\$1 or channel\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S33	116	S32 and (channel\$1 near2 gain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S34	487	S32 and (constellation\$1 near2 (size or point\$1 or square or general or order or axis or estimate\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S35	581	S33 or S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S36	105	S32 and (distance with (constellation\$1 near2 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S37	105	S35 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S38	90	S32 and (sample\$1 with window\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S39	123	S32 and ((reliable near2 symbol\$1) or ((channel\$1 near2 gain) and (constellation\$1 near2 (size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

S40	187	S37 or S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S41	40	S39 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S42	123	S39 or S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S43	7	S32 and (sample\$1 with (priorit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S44	10	S38 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S45	328782	((digital or data or mobile) near2 communication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S46	5657	S45 and constellation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S47	455	S46 and (constellation near2 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S48	226	S46 and (symbol near2 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S49	83	S47 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S50	1984	S45 and (channel near2 gain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S53	16	S47 and (rectangular near2 constellation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S54	20	S47 and (general near2 constellation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S56	52	S46 and (constellation near2 axis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S58	299	S47 and (constellation near2 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S61	273	S47 and (sample)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S57	1928	S46 and (constellation near2 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S63	6	S62 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S65	0	S46 and (prioritiz\$3 with (constellation near2 point))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S67	431	S46 and (distance with (constellation near2 point\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S68	19	S46 and (distance with (constellation near2 point\$1) with (limit or threshold))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S69	0	S67 and (governing near2 constellation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S70	1	S46 and (governing near2 constellation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S71	1	S45 and (governing near2 constellation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S72	267	S49 or S51 or S52 or S53 or S54 or S55 or S56 or S59 or S60 or S62 or S63 or S64 or S66 or S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S51	26	S49 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S73	68	S47 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S52	69	S47 and (square near2 constellation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S55	50	S47 and (constellation near2 order)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S59	7	S47 and (maximum near2 constellation near2 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S60	11	S47 and (magnitude near2 constellation near2 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S62	8	S46 and ("two dimensional" or "two-dimensional") near2 sample)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S64	5	S46 and (prioritiz\$3 with sample\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S66	3	S46 and ((scale\$1 near2 value) with (constellation near2 point))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S74	329284	((digital or data or mobile) near2 communication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S75	5675	S74 and constellation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S76	455	S75 and (constellation near2 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S77	226	S75 and (symbol near2 size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S78	83	S76 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S79	1990	S74 and (channel near2 gain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S80	26	S78 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S81	69	S76 and (square near2 constellation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S82	16	S76 and (rectangular near2 constellation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S83	20	S76 and (general near2 constellation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S84	50	S76 and (constellation near2 order)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S85	52	S75 and (constellation near2 axis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

S86	1932	S75 and (constellation near2 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S87	7	S76 and (maximum near2 constellation near2 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S88	11	S76 and (magnitude near2 constellation near2 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S89	8	S75 and ("two dimensional" or "two-dimensional") near2 sample)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S90	6	S89 and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S91	5	S75 and (prioritiz\$3 with sample\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S92	3	S75 and ((scale\$1 near2 value) with (constellation near2 point))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S93	19	S75 and (distance with (constellation near2 point\$1) with (limit or threshold))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S94	1	S75 and (governing near2 constellation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S95	267	S78 or S80 or S81 or S82 or S83 or S84 or S85 or S87 or S88 or S89 or S90 or S91 or S92 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S96	68	S76 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S97	69	S76 and (square near2 constellation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S98	8	S75 and ("two dimensional" or "two-dimensional") near2 sample)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S99	5	S75 and (prioritiz\$3 with sample\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S100	3	S75 and ((scale\$1 near2 value) with (constellation near2 point))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S102	2	S75 and (estimat\$3 near2 (constellation near2 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
S101	51	S75 and (estimat\$3 near2 "channel gain")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

09/899852

Eilon Reiss

EAST SEARCH

7/14/05

Results of search set S95:

Document	Kind Codes	Title	Issue Date	Current OR	Abstract
US 20050135466	A1	Method for accurate estimation of noise for data modems	20050623	375/227	
US 20050129147	A1	Method and system for modulating and detecting high datarate symbol communications	20050616	375/324	
US 20050128938	A1	Channel estimation and synchronization with preamble using polyphase code	20050616	370/210	
US 20050123061	A1	Multidimensional signal modulation and/or demodulation for data communications	20050609	375/261	
US 20050113121	A1	Apparatus, and associated method, for communicating communication data in a multiple-input, n	20050526	455/501	
US 20050105631	A1	Full-diversity, full-rate complex-field space-time coding for wireless communication	20050519	375/267	
US 20050084029	A1	Apparatus and method for mode transition of a transmit diversity scheme in a mobile communica	20050421	375/267	
US 20050074070	A1	System and method for adapting to a change in constellation density while receiving a signal	20050407	375/265	
US 20050058215	A1	Decoding upstream V.92-encoded signals	20050317	375/262	
US 20050058213	A1	Bit allocation among carriers in multicarrier communications	20050317	375/260	
US 20050047517	A1	Adaptive modulation for multi-antenna transmissions with partial channel knowledge	20050303	375/267	
US 20050036565	A1	Methods and devices for decoding signals containing noise and distortion	20050217	375/262	
US 20050031097	A1	Gateway with voice	20050210	379/93.31	
US 20050018798	A1	Voice and data exchange over a packet based network with timing recovery	20050127	375/355	
US 20050010855	A1	Reduced complexity decoding for trellis coded modulation	20050113	714/796	
US 20050002464	A1	Data re-transferring method based on bit transformation	20050106	375/261	
US 20050002325	A1	Space-time-frequency coded OFDM communications over frequency-selective fading channels	20050106	370/208	
US 20040267852	A1	Algorithm for computing distances to a received point in an ADSL system	20041230	708/490	
US 20040258172	A1	Method and system for data rate optimization in a digital communication system	20041223	375/261	
US 20040252788	A1	Demodulation for phase modulation	20041216	375/329	

US 20040252648 A1	Off-line broadband network interface	20041216 370/252
US 20040252632 A1	Method and apparatus for multi-user multi-input multi-output transmission	20041216 370/210
US 20040240577 A1	Partially coherent constellations for multiple-antenna systems	20041202 375/267
US 20040194006 A1	Algebraic geometric code adapted to error bursts	20040930 714/800
US 20040194004 A1	Trellis interleaver and feedback precoder	20040930 714/792
US 20040190649 A1	Joint, adaptive control of equalization, synchronization, and gain in a digital communications receiver	20040930 375/326
US 20040161059 A1	Signal estimation methods and apparatus	20040819 375/341
US 20040151256 A1	Apparatus and method for transmitting and receiving data in a mobile communication system using	20040805 375/267
US 20040141548 A1	Software adaptable high performance multicarrier transmission protocol	20040722 375/146
US 20040136465 A1	Data transmission/reception apparatus and method for achieving both multiplexing gain and diversity	20040715 375/267
US 20040132416 A1	Equalization apparatus and methods	20040708 455/82
US 20040128334 A1	Resonance optimization using hardware acceleration	20040701 708/409
US 20040120274 A1	CDMA transceiver techniques for wireless communications	20040624 370/320
US 20040114450 A1	Constellation mapping apparatus and method	20040617 365/230.03
US 20040109092 A1	Gain control for a high definition television demodulator	20040610 348/726
US 20040100897 A1	Carrier interferometry coding with applications to cellular and local area networks	20040527 370/206
US 20040096022 A1	Combining precoding with spectral shaping	20040520 375/353
US 20040091058 A1	QAM receiver and method for constellations having at least sixteen symbols	20040513 375/261
US 20040082356 A1	MIMO WLAN system	20040429 455/522
US 20040039983 A1	Process for modulation and determination of the bit loading on a transmission channel	20040226 714/758
US 20040038654 A1	Method and apparatus for generating a 64 state 4-D trellis code in DMT	20040226 455/130
US 20040037238 A1	Orthogonal code division multiple access on return link of satellite links	20040226 370/321
US 20040033808 A1	Method and system for determining relative positions of networked mobile communication devices	20040219 455/456.1
US 20040028159 A1	Receivers, methods, and computer program products for an analog modem that receives data signals	20040212 375/350
US 20040022179 A1	Wireless communication system having error-control coder and linear precoder	20040205 370/207
US 20040021595 A1	Method and system for implementing a sigma delta analog-to-digital converter	20040205 341/144
US 20040013190 A1	Method and apparatus for hybrid decision feedback equalization	20040122 375/233
US 20040013189 A1	Soft slicer in a hybrid decision feedback equalizer	20040122 375/233
US 20040001561 A1	Method and system for the transmission, reception and processing of 4-level and 8-level signals	20040101 375/308
US 20040001537 A1	Apparatus, and associated method, for performing joint equalization in a multiple-input, multiple-output	20040101 375/229
US 20040001448 A1	System and method for transmitting highly correlated preambles in QAM constellations	20040101 370/280
US 20030235245 A1	Method and system for computing pre-equalizer coefficients	20031225 375/232
US 20030223505 A1	Data transceiver with filtering and precoding	20031204 375/261
US 20030223483 A1	DSL modem apparatus and reception method for DSL communication	20031204 375/222
US 20030223353 A1	Method and apparatus for decoding baseband orthogonal frequency division multiplex signals	20031204 370/206
US 20030215023 A1	Multi-dimensional fractional number of bits modulation scheme	20031120 375/265
US 20030210750 A1	Multiple input, multiple output system and method	20031113 375/295
US 20030206559 A1	Method of determining a start of a transmitted frame in a frame-based communications network	20031106 370/509
US 20030202612 A1	Modems, methods, and computer program products for selecting an optimum data rate using error	20031030 375/265
US 20030198288 A1	Distinguishing between final coding of received signals in a PCM modem	20031023 375/222
US 20030194000 A1	PCM upstream data transmission server	20031016 375/222
US 20030189976 A1	Modified branch metrics for processing soft decisions to account for phase noise impact on plus	20031009 375/222
US 20030185319 A1	Apparatus, and associated method, for a multiple-input, multiple-output communications system	20031002 375/347
US 20030161258 A1	Turbo code based incremental redundancy	20030828 370/203
US 20030159100 A1	Carrierless backwards compatible data networking transmitter, receiver, and signal format	20030821 714/758
US 20030156656 A1		20030821 375/295

US 20030156592 A1	Carrier based backwards compatible data networking transmitter, receiver, and signal format	20030821 370/419
US 20030152023 A1	Orthogonal frequency division multiplexing system with differing control parameters corresponding	20030814 370/208
US 20030152022 A1	Orthogonal frequency division multiplexing system with superframe synchronization using correl	20030814 370/208
US 20030147343 A1	Linear space-time block code with block STTD structure	20030807 370/209
US 20030141938 A1	QUADRATURE VESTIGIAL SIDEBAND DIGITAL COMMUNICATIONS METHOD	20030731 332/103
US 20030138061 A1	Voice and data exchange over a packet based network with timing recovery	20030724 375/326
US 20030112796 A1	Voice and data exchange over a packet based network with fax relay spoofing	20030619 370/352
US 20030084394 A1	Multi-frequency data transmission channel power allocation	20030501 714/755
US 20030076890 A1	Method and apparatus for detection and decoding of signals received from a linear propagation c	20030424 375/264
US 20030076889 A1	Constellation mapping for modulated communications	20030424 375/261
US 20030067992 A1	Optimal trellis code design for QPSK and higher order quadrature amplitude modulations	20030410 375/265
US 20030063664 A1	Adaptive thresholding for adaptive equalization	20030403 375/232
US 20030063654 A1	Space-time transmit diversity	20030403 375/130
US 20030048857 A1	Space-time transmit diversity	20030313 375/267
US 20030039217 A1	Apparatus and method for transmitting/receiving uplink transmission power offset and HS-DSC	20030227 370/318
US 20030035469 A1	Linear minimum mean square error equalization with interference cancellation for mobile commu	20030220 375/150
US 20030021358 A1	128-Ary signal constellations suitable for non-linear amplification	20030130 375/297
US 20030002593 A1	M-ary signal constellations suitable for non-linear amplification	20030102 375/298
US 20020181389 A1	Channel estimation for wireless OFDM systems	20021205 370/208
US 20020172212 A1	Method and system for increasing data throughput in communications channels on an opportu	20021121 370/412
US 20020163932 A1	Method of providing synchronous transport of packets between asynchronous network nodes in	20021107 370/465
US 20020141493 A1	Distinguishing between final coding of received signals in a PCM modem	20021003 375/222
US 20020136317 A1	Block coding for multilevel data communication	20020926 375/261
US 20020131441 A1	Method of determining an end of a transmitted frame in a frame-based communications network	20020919 370/441
US 20020118340 A1	Range-extending system and spatial filter for enhancing hartmann-shack images and associat	20020829 351/211
US 20020105928 A1	Method and apparatus for interference suppression in orthogonal frequency division multiplexed	20020808 370/334
US 20020090035 A1	Super-orthogonal space-time trellis codes, and applications thereof	20020711 375/265
US 20020080886 A1	Method for selecting frame encoding parameters in a frame-based communications network	20020627 375/295
US 20020075830 A1	Adaptive modulation for fixed wireless link in cable transmission system	20020620 370/333
US 20020057717 A1	Method of sharing information among a plurality of stations in a frame-based communications ne	20020516 370/503
US 20020057713 A1	Method for selecting frame encoding parameters to improve transmission performance in a fram	20020516 370/468
US 20020051501 A1	Use of turbo-like codes for QAM modulation using independent I and Q decoding techniques an	20020502 375/298
US 20020044610 A1	DSL rate adaptation	20020418 375/261
US 20020044073 A1	System and method for Huffman shaping in a data communication system	20020418 341/65
US 20020042836 A1	Method of enhancing network transmission on a priority-enabled frame-based communications r	20020411 709/232
US 20020041570 A1	Method for providing dynamic adjustment of frame encoding parameters in a frame-based comm	20020411 370/252
US 20020037055 A1	System and method of data communication using trellis coded modulation or turbo trellis coded r	20020328 375/265
US 20020034263 A1	Wireless communications	20020321 375/299
US 20020031190 A1	System and method of data communication using turbo trellis coded modulation combined with c	20020314 375/265
US 20020027886 A1	Method of controlling data sampling clocking of asynchronous network nodes in a frame-based c	20020307 370/255
US 20020026523 A1	Method for distributing sets of collision resolution parameters in a frame-based communications	20020228 709/236
US 20020012343 A1	Transceiver method and signal therefor embodied in a carrier wave for a frame-based communic	20020131 370/389
US 20020006136 A1	Method for selecting an operating mode for a frame-based communications network	20020117 370/466
US 20010055311 A1	Method of determining a collision between a plurality of transmitting stations in a frame-based cc	20011227 370/445
US 20010017900 A1	Method to transfer trellis code modulated digital data over a digital subscriber line, and related m	20010830 375/265
US 6917559 B2	Constellation mapping apparatus and method	20050712 365/230.03

US 6914934 B1	Multiplier-free methods and apparatus for signal processing in a digital communication system	20050705 375/229
US 6909755 B2	Method and system for increasing data throughput in communications channels on an opportunistic basis	20050621 375/264
US 6904082 B2	DSL rate adaptation	20050607 375/220
US 6898204 B2	Method of determining a collision between a plurality of transmitting stations in a frame-based communication system	20050524 370/445
US 6891896 B1	Embedded signal constellations	20050510 375/264
US 6891881 B2	Method of determining an end of a transmitted frame in a frame-based communications network	20050510 375/143
US 6888844 B2	Method for selecting an operating mode for a frame-based communications network	20050503 370/466
US 6882634 B2	Method for selecting frame encoding parameters to improve transmission performance in a frame-based communications network	20050419 370/338
US 6877043 B2	Method for distributing sets of collision resolution parameters in a frame-based communications network	20050405 709/251
US 6870888 B1	Bit allocation among carriers in multicarrier communications	20050322 375/260
US 6868072 B1	Home phone line network architecture	20050315 370/276
US 6850577 B2	Voice and data exchange over a packet based network with timing recovery	20050201 375/326
US 6850493 B1	Off-line broadband network interface	20050201 370/252
US 6823002 B1	Linear block interleaver for discrete multi-tone modulation	20041123 375/219
US 6819719 B2	Method to transfer trellis code modulated digital data over a digital subscriber line, and related methods	20041116 375/262
US 6816548 B1	HDTV channel equalizer	20041109 375/233
US 6804267 B1	Transceiver training for DSL modems under TCM-ISDN interference	20041012 370/524
US 6795424 B1	Method and apparatus for interference suppression in orthogonal frequency division multiplexed systems	20040921 370/343
US 6788236 B2	Method and system for implementing a sigma delta analog-to-digital converter	20040907 341/155
US 6778597 B2	Distinguishing between final coding of received signals in a PCM modem	20040817 375/222
US 6765931 B1	Gateway with voice	20040720 370/493
US 6760347 B1	Off-line broadband network interface	20040706 370/516
US 6757859 B1	Parallel turbo trellis-coded modulation	20040629 714/755
US 6744814 B1	Method and apparatus for reduced state sequence estimation with tap-selectable decision-feedback	20040601 375/232
US 6715124 B1	Trellis interleaver and feedback precoder	20040330 714/792
US 6704324 B1	Apparatus and method for transmission of voice band signals over a DSL line	20040309 370/465
US 6693958 B1	Adaptive channel equalizer having a training mode	20040217 375/232
US 6690736 B1	Bit allocation in a transmission system	20040210 375/260
US 6688014 B1	Equalizer method and apparatus using constant modulus algorithm blind equalization and partial feedback	20031223 375/232
US 6665336 B2	MODEMS, METHODS, AND COMPUTER PROGRAM PRODUCTS FOR SELECTING AN EQUALIZATION METHOD	20031216 375/225
US 6661837 B1	MODEMS, METHODS, AND COMPUTER PROGRAM PRODUCTS FOR SELECTING AN EQUALIZATION METHOD	20031209 375/227
US 6654846 B1	High speed computer bus system with bi-directional transmission medium and interface device	20031125 710/305
US 6608869 B1	Dual-carrier heterodyne for separating orthogonal components of complex amplitude-modulation	20030819 375/261
US 6606355 B1	Channel coding in the presence of bit robbing	20030812 375/242
US 6606010 B1	Quadrature vestigial sideband digital communications method	20030812 332/103
US 6577683 B1	Method and device for generating signal constellations in PCM space for high speed data communication	20030610 375/242
US 6574285 B2	128-ary signal constellations suitable for non-linear amplification	20030603 375/297
US 6567477 B1	Two-dimensional constellation generation, pruning, and partial gray coding for bandwidth and power efficiency	20030520 375/295
US 6567475 B1	Method and system for the transmission, reception and processing of 4-level and 8-level signals	20030520 375/286
US 6565209 B2	Range-extending system and spatial filter for enhancing Hartmann-Shack images and associated methods	20030520 351/212
US 6560277 B2	Distinguishing between final coding of received signals in a PCM modem	20030506 375/222
US 6549587 B1	Voice and data exchange over a packet based network with timing recovery	20030415 375/326
US 6549584 B1	Coding scheme for cable modems	20030415 375/261
US 6504838 B1	Voice and data exchange over a packet based network with fax relay spoofing	20030107 370/352
US 6487244 B1	System and method for transmitting special marker symbol	20021126 375/222
US 6487243 B1	Modems, methods, and computer program products for recovering from errors in a tone reversal	20021126 375/222

US 6473878 B1	Serial-concatenated turbo codes	20021029 714755
US 6466586 B1	Digital subscriber line framing structure supporting imbedded rate adaptive synchronous and asy	20021015 370468
US 6421394 B1	Computer method and apparatus for modem point slicing	20020716 375261
US 6389064 B1	Modems, methods, and computer program products for identifying a signaling alphabet in varian	20020514 375222
US 6389062 B1	Adaptive frequency domain equalizer circuits, systems, and methods for discrete multitone base	20020514 375222
US 6385237 B1	Non-invasive digital cable test system	20020507 375228
US 6381267 B1	Modems, methods, and computer program products for falling back to a lower data rate protocol	20020430 375222
US 6377639 B1	Method, system, and apparatus for unambiguous phase synchronization	20020423 375354
US 6366326 B1	System for acquiring, processing, and storing video data and program guides transmitted in diffe	20020402 348558
US 6356555 B1	Apparatus and method for digital data transmission using orthogonal codes	20020312 370441
US 6351832 B1	Turbo code symbol interleaver	20020226 714701
US 6341360 B1	Decision feedback equalizers, methods, and computer program products for detecting severe er	20020122 714704
US 6310909 B1	DSL rate adaptation	20011030 375220
US 6304594 B1	Interference detection and avoidance technique	20011016 375222
US 6301315 B1	Methods and systems for symbol estimation in a receiver	20011009 375346
US 6278730 B1	Non-invasive digital cable test system	20010821 375224
US 6272171 B1	Robbed bit signaling identification in a PCM modem	20010807 375222
US 6266795 B1	Turbo code termination	20010724 714755
US 6266350 B1	Off-line broadband network interface	20010724 370526
US 6259743 B1	Automatic constellation phase recovery in blind start-up of a dual mode CAP-QAM receiver	20010710 375261
US 6233274 B1	Non-invasive digital cable test system	20010515 375227
US 6219378 B1	Digital subscriber line modem initialization	20010417 375231
US 6185249 B1	Translation table design for a PCM modem	20010206 375222
US 6181737 B1	Distinguishing received A-law and μ -law signals in a PCM modem	20010130 375222
US 6178200 B1	Constellation design for a PCM modem	20010123 375222
US 6167095 A	Method and apparatus for variably allocating upstream and downstream communication spectra	20001226 375285
US 6167034 A	Rate adaptive digital subscriber line (RADSL) modem	20001226 370281
US 6161203 A	Communication system utilizing Reed-Solomon code to achieve auto frame synchronization acq	20001212 714707
US 6157678 A	Probabilistic trellis-coded modulation with PCM-derived constellations	20001205 375243
US 6154871 A	Error detection and correction system for a stream of encoded data	20001128 714795
US 6141378 A	Fractionally-spaced adaptively-equalized self-recovering digital receiver for amplitude-phase mor	20001031 375232
US 6137829 A	System and method for transmitting special marker symbols	20001024 375222
US 6131180 A	Trellis coded modulation system	20001010 714790
US 6130894 A	Off-line broadband network interface	20001010 370421
US 6115433 A	Adaptively-equalized digital receiver with carrier tracking	20000905 375326
US 6101223 A	System and method for optimizing the uncoded modulation of circular constellations using circul	20000808 375261
US 6097764 A	Pragmatic trellis-coded modulation system and method therefor	20000801 375298
US 6088389 A	System and method for training a plurality of equalizers and a modem employing the system or r	20000711 375231
US 6075816 A	Windowing technique for blind equalization	20000613 375229
US 6061393 A	Non-invasive digital cable test system	20000509 375224
US 6047175 A	Wireless communication method and device with auxiliary receiver for selecting different channe	20000404 455452.1
US 6031873 A	Nested shell mapping	20000229 375259
US 6026120 A	System and method for using circular constellations with uncoded modulation	20000215 375261
US 6009121 A	Method and device for generating signal constellations in PCM space for high speed data comr	19991228 375254
US 6005897 A	Data communication system and method therefor	19991221 375340
US 6005893 A	Reduced complexity bit allocation to subchannels in a multi-carrier, high speed data transmissio	19991221 375260

US 6005840 A	Complementary encoding and modulation system for use in an orthogonal frequency division m	19991221 370/206
US 5991308 A	Lower overhead method for data transmission using ATM and SCDMA over hybrid fiber coax c	19991123 370/395.53
US 5987069 A	Method and apparatus for variably allocating upstream and downstream communication spectra	19991116 375/285
US 5986596 A	Concise storage and expansion of signal constellations in PCM space for high speed data com	19991116 341/138
US 5970093 A	Fractionally-spaced adaptively-equalized self-recovering digital receiver for amplitude-Phase mo	19991019 375/234
US 5946052 A	System for acquiring and processing video data and program guides transmitted in different codi	19990831 348/555
US 5946045 A	System for forming program guides and video data for storage and transmission in different codi	19990831 725/54
US 5940440 A	Generalized multimodulus technique for blind equalization	19990817 375/231
US 5862184 A	Mapper for high data rate transmission through channels subject to robbed bit signalling	19990119 375/295
US 5859877 A	Simultaneous analog and digital communication using fractional rate encoding	19990112 375/298
US 5844944 A	Simultaneous analog and digital communication using partitioning of bits into words	19981201 375/298
US 5838724 A	Spectral and power shaping mapper for high data rate signalling	19981117 375/222
US 5835731 A	Technique for improving the blind convergence of a two-filter adaptive equalizer	19981110 375/235
US 5809074 A	Technique for improving the blind convergence of an adaptive equalizer using a transition algori	19980915 375/233
US 5793818 A	Signal processing system	19980811 375/326
US 5793807 A	Multimodulus blind equalization using piecewise linear contours	19980811 375/233
US 5793759 A	Apparatus and method for digital data transmission over video cable using orthogonal cyclic cod	19980811 370/342
US 5774500 A	Multi-channel trellis shaper	19980630 375/261
US 5751701 A	Rate adaptive digital subscriber line ("RADSL") modem	19980512 370/281
US 5742643 A	Quantizing and decoding of phase-amplitude modulated signals in hexagonal code	19980421 375/243
US 5742622 A	Error detection and correction system for a stream of encoded data	19980421 714/789
US 5729173 A	Demodulation of quadrature amplitude modulation signals	19980317 329/308
US 5724396 A	Signal processing system	19980303 375/355
US 5684834 A	Simultaneous analog and digital communication using fractional rate encoding	19971104 375/298
US 5659583 A	Tone canceller for QAM demodulator	19970819 375/346
US 5621761 A	Rotationally invariant trellis coding incorporating transparent binary convolutional codes	19970415 375/265
US 5619540 A	Transmission system using block-coded or trellis-coded modulations, receiver and decoder for s	19970408 375/341
US 5606578 A	Radio with peak power and bandwidth efficient modulation using asymmetric symbol constellatio	19970225 375/298
US 5598432 A	Equalizing received signal samples by receiving input in a first register at a first rate greater than	19970128 375/229
US 5537439 A	Decision directed algorithm control method	19960716 375/232
US 5533048 A	Apparatus and method for compensating for limiter induced non-linear distortion in a wireless da	19960702 375/222
US 5506866 A	Side-channel communications in simultaneous voice and data transmission	19960409 375/216
US 5475691 A	Voice activated data rate change in simultaneous voice and data transmission	19951212 370/527
US 5442626 A	Digital communications system with symbol multiplexers	19950815 370/207
US 5428641 A	Device and method for utilizing zero-padding constellation switching with frame mapping	19950627 375/295
US 5398260 A	Method and apparatus for restoring multi level/phase modulation data	19950314 375/286
US 5396518 A	Apparatus and method for communicating digital data using trellis coding with punctured convolt	19950307 375/265
US 5388124 A	Precoding scheme for transmitting data using optimally-shaped constellations over intersymbol-i	19950207 375/286
US 5384810 A	Modulo decoder	19950124 375/340
US 5365549 A	Complex signal correlator and method therefor	19941115 375/343
US 5311547 A	Partial-response-channel precoding	19940510 375/290
US 5295159 A	Coordinated coding for digital transmission	19940315 375/260
US 5258987 A	Multilevel coding using trellis-coded modulation and reed-solomon codes	19931102 714/758
US 5222077 A	Radix mapping with variable number of symbols in mapping period	19930622 375/261
US 5195107 A	Technique for compensating for intersymbol interference	19930316 375/290
US 5185763 A	Data bit to constellation symbol mapper	19930209 375/262

US 5119403 A	Superframes	19920602 375/261
US 5067139 A	Coherent detector for QPSK modulation in a TDMA system	19911119 375/332
US 5058136 A	Coherent detection for QPSK modulation	19911015 375/332
US 5042052 A	Carrier acquisition scheme for QAM and QPSK data	19910820 375/344
US 5029185 A	Coded modulation for mobile radio	19910702 375/245
US 4980897 A	Multi-channel trellis encoder/decoder	19901225 375/265
US 4959842 A	Signal constellations	19900925 375/261
US 4891806 A	Constellation multiplexed inband secondary channel for voiceband modem	19900102 370/503
US 4847797 A	Adaptive blind equalization method and device	19890711 708/3
US 4827431 A	Methods and systems for the simultaneous quantitative measurement of phase and amplitude jitter	19890502 375/226
US 4771438 A	Method and apparatus for phase reference recovery in high speed fast turnaround modem	19880913 375/235
US 4713817 A	Multidimensional, convolutionally coded communication systems	19871215 714/758
NN9410693	Trellis Subset Decoder Algorithm Based on a Pattern Recognition Scheme	19941001
NN9409581	Unified Table Based Subset Decoder for the Viterbi Algorithm	19940901
US 20050036565 A	Soft decision decoder for use in receiver, has section to assign reliability-related value to soft-map	20050217
US 20040258172 A	Data rate optimizing method for use in digital communication system, involves comparing relation	20041223
DE 19962162 A	Back mapping for digital communications	20000706